

# Xiamen MosCut Stone Machine Co., Ltd

<https://www.MosCut.com> E-mail:Sam@MosCut.com


Add: HaiLian Industrial park, ShuiTou Town, NanAn city, FuJian, China

## Quotation of Jib Crane

Item	Unit	Value
max loading weight	kg	500
total power	KW	4.5
max.lifting stroke	mm	3000
slewing radius	mm	4000
slewing angle	°	360
dimension(L*W*H)	mm	5000*700*4400
Weight	Kg	1000



## Rubberized Diamond wire saw for granite quarrying



Used for granite quarrying and granite block squaring.

**Best Price:US\$26.00/m(FOB China)**

### Specification and performance parameters

Bead dia. (mm)	Model	Fixed by	Beads /m	Remark	Cutting material	Line speed (m/s)	Effeciency (m <sup>2</sup> /h)	Life time (m <sup>2</sup> /m)
Φ12mm	HG	High Performance Rubber	40	Sintered beads	Soft granite	22-28	12-14	22-26
					Mid-hard granite	20-24	10-12	20-22
					Hard granite	18-22	5-7	12-16
					High abrasiveness	26-30	4-8	10-12

## Rubberized Diamond wire saw for marble quarrying



For marble quarries and block squaring.

**Best Price:\$25.00/m(FOB China)**

### Specification and performance parameters

Bead dia. (mm)	Model	Fixed by	Beads /m	Remark	Cutting material	Line speed (m/s)	Effeciency (m <sup>2</sup> /h)	Life time (m <sup>2</sup> /m)
Φ12mm	HM	High Performance Rubber	40	Sintered beads	Soft marble	25-35	20-22	30-45
					Mid-hardmarble	22-32	18-20	25-35
					Hard marble	20-30	10-15	12-22

## QUOTATION Of Air Bag For Quarry

Model	Specification	usd/pc	pushing	weight
MCBL1010	1.0m×1.0m	<b>\$214</b>	50tons	2.8
MCBL1015	1.0m×1.5m	<b>\$253</b>	75tons	4.2
MCBL1020	1.0m×2.0m	<b>\$260</b>	100tons	5.6
MCBL1515	1.5m×1.5m	<b>\$273</b>	115tons	6.3
MCBL2015	2.0m×1.5m	<b>\$286</b>	150tons	8.4
MCBL2020	2.0m×2.0m	<b>\$325</b>	200tons	11.2
MCBL3030	3.0m×3.0m	<b>\$500</b>	450tons	25.2
Simple air control box	Valve box	<b>\$325</b>	air pressue 0-6bar,3 outlet	30.0
	deflating tools	<b>\$65</b>		
Integrated		<b>\$650</b>		
<b>Delivery time</b>	Usually about 20 days after we get your deposit.			

**Machine Working** <https://youtu.be/NoJtGuXvzVs>

**PICTURES:**







## Xiamen MosCut Stone Machine Co., Ltd


<https://www.MosCut.com> E-mail: Sam@MosCut.com

Add: C417,NO. 12,East Haijing Road,Xiamen City,China



Model	S-35	S-45	Unit
Max turning weight	35000	45000	kg
Max Length of block	3000	3500	mm
Max Width of block	2000	2300	mm
Max Height of block	2000	2000	mm
Turning angle	0~90	0~90	n°
Main motor	4.5	7.5	kw
Total weight	4500	5500	kg

## Rubberized Diamond wire saw for granite quarrying



Used for granite quarrying and granite block squaring.

**Best Price:**

### Specification and performance parameters

Bead dia. (mm)	Model	Fixed by	Beads /m	Remark	Cutting material	Line speed (m/s)	Effeciency (m <sup>2</sup> /h)	Life time (m <sup>2</sup> /m)
Φ11.5	HG	High Performance Rubber	40	Sintered beads	Soft granite	22-28	6-10	18-20
Φ12.0					Mid-hard granite	20-24	4-7	16-20
Φ12.5					Hard granite	18-22	3-5	12-14
					High abrasiveness	26-30	4-8	10-12

# Xiamen MosCut Stone Machine Co., Ltd



[Https://www.MosCut.com](https://www.MosCut.com)      Mobile & Whats app:+86-15860931366

## Honeycomb Stone Compress Machine

Item Name	MCLYJ50T-2	MCLYJ50T-4
Max Compress Size	2500*1250mm	3000*2000mm
Max Compress Distance	1500mm	1500mm
Power of Main Motor	4kw	5.5kw
Weight	1800kg	3800kg
Overall Size	3000*1250*2750mm	3500*2000*2850mm









### Integrated Oil Cylinder

The integrated oil cylinder can guarantee the long time use without oil leakage, so as to achieve good pressure protection effect



Working pressure gauge



Real-time monitoring of pressure values



Overvoltage protection of emergency stop switch

Protect Security



大理石复合铝蜂窝  
STONE+ALUMINUM HONEYCOMB

3mm厚天然石面  
3mm Thickness Natural Stone

航天级粘合剂  
Reinforced WE Glue



大理石复合磁砖 STONE+PORCELAIN


3mm厚天然石面  
3mm Thickness Natural Stone

航天级粘合剂  
Reinforced WE Glue






**玉石复合玻璃底板 ONYX+GLUED WITH GLASS**



**大理石复合花岗岩 MARBLE SHEETS+GRANITE**



**马赛克拼花复合板 STONE MOSAIC+PORCELAIN**




**大理石复合铝塑板 STONE+ALUMINIUM PLASTIC PLATE**





**Xiamen MosCut Stone Machine Co., Ltd**  
<https://www.MosCut.com> E-mail: Sam@MosCut.com  
C417,NO. 12,East Haijing Road,Haicang Dist,Xiamen,China

## Portable Stone Router Machine




Item name	MX 1280 Portable Router Machine
Power	2200W
Voltage	110V/220V
Frequency	50/60 HZ
Rotating Speed	500-8500 rmp
Connection	M10
Max Process Thickness	60mm
Weight	18kg

## Xiamen MosCut Stone Machine Co., Ltd

<https://www.MosCut.com>    Mobile & Whats app:+86-15860931366

### Quotation of Stone Slab Clamp Lifter

Item	stone slab lifting
grip range	20-60mm
rubber color	black, white
Vertical maximum suction	260kg
mini loading	1000kg
clmap weight	23kg











## Xiamen MosCut Stone Machine Co., Ltd

[Https://www.MosCut.com](https://www.MosCut.com)

Mobile & Whats app:+86-15860931366

Item Name	Unit	Value	
Adjustment Range	mm	30-50	
Max Feeding Size	MM	290	
Main Shaft Speed	r/min	300	
Capacity	ton/hour	20-50	
Main Motor	kw	37	





### Applicable material



widely used for crushing various materials like stone, granite, trap rock, coke, coal, manganese ore, iron ore, emery, fused aluminum, oxide, fused calcium carbide, lime stone, quartzite, alloys, etc.

### Application

It can be used in quarries, coal mining industry, sand quarry, concrete and the recycled of waste, construction waste disposal, without the existence of a large number of thick broken small particle diameter of raw ore soil, crushing and plastic material, after crushing or collecting sand or gravel products needed for processing, often mobile operating environment.





**Xiamen MosCut Stone Machine Co., Ltd**

<https://www.MosCut.com> E-mail: Sam@MosCut.com

Add: C417,NO. 12,East Haijing Road,Haicang Dist,Xiamen,China

## Measuring Instrument Digital Templating


**Price: 5300 USD/Set**

Our measuring instrument is specially designed for applications that require accurate dimensional measurement of kitchen countertops, walls, stairs, etc.

Compact design, easy to carry and full-featured.

It can realize on-site measurement, drawing, dismantling, and quickly generate DXF, or graphics files in our company's special format for five-axis bridge saw, machining center, water jets and other equipment.



Truly accurate measurement, precise processing, and dust-free installation.




### Configurations:

1. Self-developed software system with **Measure software** and **PlanSmith software** to complete on-site measurement, order disassembly, drawing, typesetting, etc.
2. After measurement, it is directly imported into CNC five-axis bridge saw (**No need iPhone to download paidAPP! No need to import the computer to pay for dismantling!** )
3. 3D measuring instrument with a tablet (**Microsoft surface go 3 max with the highest configuration**), keyboard
4. Very simple operation, very high measurement accuracy, very fast measurement without waiting





**On-site measurement/drawing (Measure software)**




**On-site dismantling (Measure software)**



**Xiamen MosCut Stone Machine Co., Ltd**

<https://www.MosCut.com> E-mail: Sam@MosCut.com


Add: C417,NO. 12,East Haijing Road,Haicang Dist,Xiamen,China



### On-site typesetting (PlanSmith software)

It is exactly the same as the operation interface of CNC five-axis bridge saw.

Directly import the measurement results into CNC five-axis bridge saw → directly process  
Convenient, fast and worry-free



Including above seven parts


## Xiamen MosCut Stone Machine Co., Ltd

<https://www.MosCut.com>

Mobile & Whats app:+86-15860931366

Item Name	Unit	Value	
Machine Overall	mm	L*W*H=3000*720*2400	
Motor of Air Blower	KW	2.2	
Air Blower Quantity	PC	2	
Power of water pump	kw	0.55	
Air Blower Capacity	m <sup>3</sup> /h	24000-32000	
Air Suction Speed	m/s	3.5-4.2	
Noise	db	70-80	
Working Video		<a href="https://youtu.be/76dfqlGp414">https://youtu.be/76dfqlGp414</a>	
















# Xiamen MosCut Stone Machine Co., Ltd



Https://www.MosCut.com    Mobile & Whats App:+8615860931366

## Quotation of Stone Flaming Machine

Number of Nozzles	10	14	18	24
Process width	600mm	800mm	1000mm	1300mm
Output/hour	100-160m <sup>2</sup>	120-180m <sup>2</sup>	160-220m <sup>2</sup>	200-280m <sup>2</sup>
Power	4KW	4KW	4KW	4KW
Voltage	380V	380V	380V	380V
Price FOB				
Voltage	380V/50HZ/3PHS Or as request			
Payment term	30% deposit after order confirmation, balance 70% after goods are ready before shipment.			
Delivery time	Usually about 20 days after we get your deposit.			
Working Video	<a href="https://youtu.be/wDBqGsRsHhs">https://youtu.be/wDBqGsRsHhs</a>			

### HIGH SPEED AUTOMATIC FLAMING SLAB MACHINE






## Xiamen MosCut Stone Machine Co., Ltd

[Https://www.MosCut.com](https://www.MosCut.com)      Mobile & Whats app:+86-15860931366

### SPECIFICATIONS FOR VIBRATORY FINISHING MACHINE

Vibratory Finishing Machine	Machine Type	MCHZXX-1100A	SET
	Motor	5x2	KW
	Motor Speed	1440	RPM
Main parameters	Machine Size	3310*1230*1280	MM
	Process Vessel Volume (L)	1100	L
	Process Vessel (L*W*H)	2000*800*800	MM
Other information	Lining	PU lining	PU
	Lining thickness	20	MM
	Voltage	220V-440V	3 Phase
<b>Machine Price</b>			





## Xiamen MosCut Stone Machine Co., Ltd

[Https://www.MosCut.com](https://www.MosCut.com)

Mobile & Whats app:+86-15860931366

### Quotatio of WSCL-250 Water Recycle Machine

Name	Unit	Value	
Barrel diameter	mm	250	
Length of Barrel	mm	100	
Max Turning Speed	RPM	5400	
Treatment Capacity	Hour Per Liter	0.5-5	
Power of Main Motor	kw	7.5	
Machine Weight	kg	1000	
Machine Dimension(L*W*H)	mm	2410*800*1080	
<b>PRICE</b>			





## Xiamen MosCut Stone Machine Co., Ltd

<https://www.MosCut.com>      **Mobile & Whats app:+8615860931366**

### DQA220-2P Segment Welding Machine

Name	Unit	Value	
Brazing Diameter	mm	500-2300	
Verticality Welding Error	mm	$\leq\pm 0.03$	
Linearize Welding Error	mm	$\leq\pm 0.03$	
Brazing Capacity	pc/h	250-550	
Air Pressure	mpa	0.6	
Hydraulic Pressure	mpa	0.2	
Power	w	600	
Water consumption	m <sup>3</sup> /h	2	
Dimensions(L×W×H)	mm	1000*800*2100	
Weight	kg	230	
<b>Price</b>			

